Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	icial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Adams Cty	538	83.8	0.2	8.0	0.2	0.4	7.4	0.0
Ashland	592	64.9	0.2	4.2	22.8	0.3	7.6	0.0
Barron	1,082	81.0	5.9	9.9	1.3	0.4	1.6	0.0
Bayfield C	358	55.3	0.3	3.1	36.3	0.6	4.5	0.0
Brown	6,886	38.2	10.3	32.4	5.8	7.2	6.2	0.0
Buffalo	286	87.4	0.3	11.2	0.0	0.0	1.0	0.0
Burnett	540	66.1	0.2	2.0	16.3	0.0	15.4	0.0
Calumet	730	64.8	3.6	20.7	0.0	8.5	2.5	0.0
Chippewa	1,332	90.2	0.3	3.1	0.0	1.4	5.0	0.0
Clark	811	64.6	0.9	31.4	0.1	0.1	2.8	0.0
Columbia	791	78.0	2.7	13.9	0.3	0.1	5.1	0.0
Crawford C	252	90.5	0.0	5.2	0.4	0.4	3.6	0.0
Dane	7,453	27.1	21.3	34.7	0.3	7.1	9.6	0.0
Dodge	1,317	67.7	0.9	26.5	0.2	0.5	4.3	0.0
Door	534	78.7	2.8	14.8	0.0	0.0	3.7	0.0
Douglas Ct	1,239	77.9	2.0	4.2	1.4	0.6	14.0	0.0
Dunn	859	79.2	0.9	7.3	0.1	9.8	2.7	0.0
Eau Claire	2,279	63.7	1.1	9.0	0.5	16.0	9.7	0.0
Florence	99	*	*	*	*	*	*	*

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

	Comparison of Racial and Ethnic Distribution												
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
Fond du La	2,052	60.5	3.4	24.5	0.0	3.6	7.9	0.0					
Forest	324	67.0	0.0	3.4	14.8	0.0	14.8	0.0					
Grant Cty	1,037	90.0	1.3	6.9	0.1	0.5	1.3	0.0					
Green Cty	664	76.8	0.8	19.4	0.0	0.6	2.4	0.0					
Green Lake	353	64.3	0.3	30.0	0.3	2.3	2.8	0.0					
Iowa Cty	347	85.3	0.9	9.8	0.3	0.0	3.7	0.0					
Iron Cty	116	88.8	0.0	4.3	2.6	0.0	4.3	0.0					
Jackson	630	67.6	1.0	8.7	18.6	0.6	3.5	0.0					
Jefferson	1,709	55.2	0.8	41.7	0.1	0.2	1.9	0.0					
Juneau	799	87.6	0.1	7.1	0.3	0.4	4.5	0.0					
Kenosha	4,405	34.5	17.6	39.8	0.1	0.6	7.4	0.0					
Kewaunee	347	76.1	0.9	19.3	0.3	0.6	2.9	0.0					
La Crosse	2,323	63.2	3.3	4.6	0.6	17.6	10.8	0.0					
Lafayette	214	66.4	0.5	32.2	0.0	0.0	0.9	0.0					
Langlade C	470	84.5	0.4	12.1	0.0	0.0	3.0	0.0					
Lincoln Ct	444	89.4	0.2	4.7	0.5	0.0	5.2	0.0					
Manitowoc	1,562	59.7	1.5	23.9	0.6	8.8	5.4	0.0					
Marathon C	2,933	54.1	1.7	10.4	0.7	25.9	7.3	0.0					
Marinette	930	90.8	0.4	6.0	0.4	0.1	2.3	0.0					

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

	Comparison of Racial and Ethnic Distribution												
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
Marquette	259	76.8	0.8	17.4	0.4	0.0	4.6	0.0					
Menominee	570	0.2	0.0	12.3	14.4	0.0	73.2	0.0					
Milwaukee	38,250	11.1	47.1	32.9	0.2	4.6	4.1	0.0					
Monroe	1,079	75.9	1.3	17.2	0.6	1.2	3.8	0.0					
Oconto	639	92.3	0.2	4.9	0.2	0.3	2.2	0.0					
Oneida	598	88.8	2.0	4.3	0.2	0.3	4.3	0.0					
Outagamie	2,618	57.6	2.8	17.9	0.5	13.2	8.0	0.0					
Ozaukee	267	78.3	2.6	13.1	0.0	1.1	4.9	0.0					
Pepin	124	82.3	0.8	12.9	0.8	1.6	1.6	0.0					
Pierce	690	84.2	0.7	7.4	0.3	0.3	7.1	0.0					
Polk	907	92.5	0.1	3.3	0.6	0.1	3.4	0.0					
Portage	1,219	69.0	0.4	13.6	0.0	14.4	2.5	0.0					
Price	419	91.6	0.7	3.3	0.2	2.4	1.7	0.0					
Racine Cou	5,205	25.5	25.7	39.7	0.1	0.6	8.4	0.0					
Richland C	394	80.7	0.3	16.0	0.5	0.3	2.3	0.0					
Rock	4,202	64.3	9.0	23.2	0.1	0.6	2.7	0.0					
Rusk	401	88.8	2.5	4.7	0.0	0.2	3.7	0.0					
Sauk	1,506	72.8	0.3	21.9	3.1	0.0	1.9	0.0					
Sawyer	546	48.4	0.9	4.9	41.9	0.4	3.5	0.0					

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	oarison of Ra	icial and Ethi	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Shawano	933	70.5	0.5	10.5	10.9	0.0	7.5	0.0
Sheboygan	2,333	42.9	2.1	28.7	0.1	20.0	6.2	0.0
St. Croix	1,153	83.2	0.7	9.7	0.2	1.6	4.6	0.0
Taylor	440	85.9	0.5	10.0	0.2	0.0	3.4	0.0
Trempealea	727	57.8	0.3	40.3	0.0	0.4	1.2	0.0
Vernon	697	85.9	1.7	8.8	0.1	0.4	3.0	0.0
Vilas	575	43.3	0.3	3.5	42.3	0.2	10.4	0.0
Walworth	1,918	46.8	1.4	48.0	0.2	0.3	3.3	0.0
Washburn	431	82.8	0.5	10.9	0.7	0.5	4.6	0.0
Washington	1,467	73.8	3.2	17.2	0.1	0.7	5.0	0.0
Waukesha	2,471	54.6	4.6	33.5	0.2	2.0	5.1	0.0
Waupaca	841	85.1	0.1	13.9	0.2	0.0	0.6	0.0
Waushara C	485	56.9	0.2	40.6	0.0	0.0	2.3	0.0
Winnebago	2,734	62.7	4.4	16.6	0.1	7.5	8.8	0.0
Wood	1,624	76.1	0.7	12.6	1.8	3.9	4.7	0.0
Unknown Counties	231	73.2	1.7	15.2	0.0	0.9	9.1	0.0
Wisconsin	128,590	44.2	18.5	25.2	1.5	4.8	5.7	0.0
Nation (Prior Year)	8,672,965	32.5	19.1	39.7	0.9	2.5	2.7	2.5

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution											
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months								
	(3,4)	%	%	%								
Adams Cty	538	28.1	20.6	51.3								
Ashland	592	26.7	22.0	51.4								
Barron	1,082	39.8	16.7	43.4								
Bayfield C	358	26.8	19.8	53.4								
Brown	6,886	30.2	22.1	47.7								
Buffalo	286	36.0	14.3	49.7								
Burnett	540	30.2	19.1	50.7								
Calumet	730	29.9	21.6	48.5								
Chippewa	1,332	32.3	19.4	48.3								
Clark	811	34.4	18.5	47.1								
Columbia	791	37.8	16.7	45.5								
Crawford C	252	33.7	20.2	46.0								
Dane	7,453	36.1	19.1	44.8								
Dodge	1,317	34.2	21.8	44.0								
Door	534	35.2	20.6	44.2								
Douglas Ct	1,239	32.8	20.0	47.1								
Dunn	859	37.1	19.4	43.4								
Eau Claire	2,279	35.1	17.7	47.2								

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

5 / 29 / 12

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	parison of Age Dis	tribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Florence	99	*	*	*
Fond du La	2,052	32.6	21.2	46.3
Forest	324	31.8	19.4	48.8
Grant Cty	1,037	34.6	20.8	44.6
Green Cty	664	34.0	21.2	44.7
Green Lake	353	45.3	17.6	37.1
Iowa Cty	347	36.6	18.2	45.2
Iron Cty	116	34.5	17.2	48.3
Jackson	630	33.8	18.7	47.5
Jefferson	1,709	33.2	18.8	48.0
Juneau	799	31.2	18.9	49.9
Kenosha	4,405	32.8	21.4	45.8
Kewaunee	347	34.6	17.9	47.6
La Crosse	2,323	33.3	20.9	45.8
Lafayette	214	40.2	16.4	43.5
Langlade C 470		33.6	18.5	47.9
Lincoln Ct	444	34.5	21.2	44.4
Manitowoc	1,562	35.4	18.8	45.8

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

5 / 29 / 12

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Con	nparison of Age Dis	tribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Marathon C	2,933	34.8	20.3	44.9
Marinette	930	31.3	21.8	46.9
Marquette	259	40.2	18.5	41.3
Menominee	570	25.1	22.3	52.6
Milwaukee	38,250	32.8	19.7	47.5
Monroe	1,079	33.0	17.9	49.1
Oconto	639	34.6	22.1	43.3
Oneida	598	39.3	19.1	41.6
Outagamie	2,618	33.4	23.0	43.6
Ozaukee	267	36.7	18.7	44.6
Pepin	124	32.3	21.8	46.0
Pierce	690	32.8	18.7	48.6
Polk	907	31.3	20.4	48.3
Portage	1,219	38.7	18.4	42.9
Price	419	28.6	20.0	51.3
Racine Cou	5,205	37.8	17.0	45.1
Richland C	394	32.0	20.3	47.7
Rock	4,202	35.2	19.4	45.4

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 5 / 29 / 12

7

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	parison of Age Dis	tribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Rusk	401	29.9	21.9	48.1
Sauk	1,506	38.0	18.0	44.0
Sawyer	546	29.3	21.8	48.9
Shawano	933	28.5	18.0	53.5
Sheboygan	2,333	29.2	22.8	48.0
St. Croix	1,153	37.1	18.5	44.4
Taylor	440	32.0	22.7	45.2
Trempealea	727	36.6	16.6	46.8
Vernon	697	33.1	17.6	49.2
Vilas	575	28.2	22.3	49.6
Walworth	1,918	35.7	17.4	47.0
Washburn	431	34.3	16.9	48.7
Washington	1,467	32.7	19.8	47.6
Waukesha	2,471	40.5	17.4	42.1
Waupaca	841	35.8	22.0	42.2
Waushara C	485	40.2	17.5	42.3
Winnebago	2,734	38.4	19.2	42.4
Wood	1,624	35.9	19.4	44.7

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

5 / 29 / 12

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B

2011 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution										
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
Unknown Counties	231	39.4	20.8	39.8							
Wisconsin	128,590	33.9	19.7	46.4							
Nation (Prior Year)	8,672,965	33.7	22.1	44.2							



Page:

Run Date:

5 / 29 / 12

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 5 / 29 / 12

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	!)		Anemia	
		Low	High		Short Stature		Obese	Low	Hb/Hct (8)			
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Adams Cty	97	* *	* *	534	7.3 (67)	1.7 (22)	12.0 (39)	269	19.3 (52)	13.4 (31)	422	7.3 (38)
Ashland	111	4.5 (2)	13.5 (49)	580	4.7 (20)	2.2 (36)	10.2 (18)	305	16.4 (29)	9.5 (8)	465	4.7 (15)
Barron	268	7.5 (25)	12.3 (44)	1,064	4.4 (15)	2.7 (49)	10.2 (18)	465	19.1 (48)	11.8 (20)	759	6.2 (26)
Bayfield C	67	* *	* *	344	3.5 (4)	2.3 (41)	15.4 (68)	189	14.3 (11)	16.9 (58)	278	9.7 (56)
Brown	1,559	8.1 (33)	7.8 (24)	6,671	6.4 (56)	1.9 (28)	15.6 (69)	3,218	19.1 (48)	19.8 (64)	5,064	7.1 (36)
Buffalo	66	* *	* *	285	4.2 (13)	3.2 (57)	11.6 (35)	141	19.1 (48)	14.9 (43)	205	6.8 (34)
Burnett	99	* *	* *	535	3.7 (7)	1.1 (4)	13.3 (55)	278	16.9 (31)	16.5 (55)	417	3.1 (6)
Calumet	152	7.2 (20)	5.9 (9)	707	6.4 (56)	2.0 (30)	10.5 (23)	339	17.7 (36)	10.6 (12)	539	6.7 (31)
Chippewa	293	6.1 (10)	5.8 (7)	1,316	5.3 (29)	1.8 (23)	11.6 (35)	643	14.0 (10)	11.2 (16)	982	12.0 (65)
Clark	181	7.7 (27)	11.0 (43)	805	6.3 (53)	1.1 (4)	10.3 (21)	380	15.5 (20)	12.9 (29)	581	11.2 (63)
Columbia	192	7.3 (22)	10.4 (39)	780	5.3 (29)	2.2 (36)	10.4 (22)	361	15.2 (16)	14.1 (35)	556	6.7 (31)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 11 Run Date: 5 / 29 / 12

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		Anemia	
		Low	High		Short Stature		Obese	Low	Hb/Hct (8)			
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Crawford C	53	* *	* *	248	7.3 (67)	2.4 (44)	8.5 (7)	111	23.4 (67)	9.9 (10)	182	9.9 (58)
Dane	1,743	8.8 (40)	9.6 (36)	7,344	5.7 (38)	1.6 (18)	10.7 (27)	3,318	16.2 (25)	12.4 (25)	5,272	9.5 (54)
Dodge	334	7.2 (20)	8.1 (25)	1,281	5.5 (34)	3.4 (59)	9.4 (13)	575	10.8 (3)	9.9 (10)	928	4.7 (15)
Door	135	6.7 (15)	9.6 (36)	529	4.0 (12)	1.9 (28)	11.5 (34)	245	15.5 (20)	17.1 (59)	371	3.2 (7)
Douglas Ct	273	5.9 (8)	5.5 (4)	1,219	4.9 (23)	1.2 (7)	12.6 (46)	584	19.7 (55)	15.8 (50)	826	17.9 (70)
Dunn	223	5.4 (5)	9.4 (35)	841	6.3 (53)	2.7 (49)	8.7 (9)	367	15.3 (18)	9.5 (8)	592	2.7 (3)
Eau Claire	537	7.4 (23)	8.6 (29)	2,251	7.1 (64)	1.8 (23)	11.4 (32)	1,052	17.8 (38)	13.1 (30)	1,629	11.0 (62)
Florence	21	* *	* *	99	* *	* *	* *	49	* *	* *	70	* *
Fond du La	470	8.7 (39)	6.8 (16)	2,007	4.6 (18)	4.0 (63)	7.7 (5)	933	11.4 (4)	8.4 (5)	1,494	5.4 (21)
Forest	66	* *	* *	316	4.7 (20)	4.4 (66)	12.7 (48)	155	20.6 (60)	12.3 (23)	224	13.4 (67)
Grant Cty	244	9.4 (47)	6.1 (12)	1,016	5.9 (47)	2.7 (49)	11.3 (31)	446	19.1 (48)	11.9 (21)	747	7.6 (39)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 12 Run Date: 5 / 29 / 12

			Comparis	on of G	rowth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			H	eight and V	Veight (3,4	!)			
		Short Under- Obese Stature weight			≥ 2 Yrs Overweight and Obese			Anemia Low Hb/Hct (8)				
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Green Cty	152	5.9 (8)	5.9 (9)	655	6.9 (61)	2.1 (31)	13.6 (58)	292	18.5 (41)	15.1 (45)	445	8.3 (43)
Green Lake	95	* *	* *	343	3.2 (3)	3.2 (57)	8.7 (9)	129	18.6 (42)	9.3 (7)	230	8.3 (43)
Iowa Cty	81	* *	* *	338	7.1 (64)	1.8 (23)	14.8 (65)	154	21.4 (62)	22.1 (67)	243	6.2 (26)
Iron Cty	32	* *	* *	114	6.1 (50)	0.9 (1)	8.8 (11)	53	* *	* *	80	* *
Jackson	143	7.0 (18)	13.3 (48)	623	5.3 (29)	1.3 (9)	12.5 (44)	297	19.9 (57)	16.5 (55)	431	13.9 (68)
Jefferson	372	8.1 (33)	8.6 (29)	1,684	4.9 (23)	2.8 (53)	11.2 (29)	808	16.8 (30)	16.0 (53)	1,253	5.2 (19)
Juneau	162	9.9 (49)	10.5 (40)	787	5.5 (34)	1.5 (14)	15.2 (66)	388	18.6 (42)	16.8 (57)	614	4.6 (14)
Kenosha	1,005	7.8 (29)	6.1 (12)	4,313	6.9 (61)	1.6 (18)	12.1 (41)	1,988	17.5 (33)	14.8 (42)	3,139	9.7 (56)
Kewaunee	80	* *	* *	341	5.9 (47)	0.9 (1)	14.1 (61)	161	19.9 (57)	14.3 (39)	256	10.2 (59)
La Crosse	556	7.0 (18)	8.1 (25)	2,287	7.0 (63)	3.9 (61)	11.2 (29)	1,046	17.7 (36)	12.7 (27)	1,708	10.5 (60)
Lafayette	54	* *	* *	208	6.7 (60)	1.4 (11)	13.0 (53)	90	* *	* *	148	8.8 (49)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 13 Run Date: 5 / 29 / 12

		(Comparis	on of G	rowth ar	nd Aneı	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	!)		۸۰	nemia
		Low	High		Short Stature		Obese	C	≥ 2 Yrs Overweight ar Obese	nd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Langlade C	103	5.8 (7)	3.9 (1)	464	5.4 (33)	1.3 (9)	8.6 (8)	211	12.8 (6)	10.9 (13)	360	6.7 (31)
Lincoln Ct	82	* *	* *	435	5.7 (38)	1.4 (11)	14.5 (63)	198	21.7 (64)	14.6 (41)	352	11.9 (64)
Manitowoc	363	5.5 (6)	8.8 (32)	1,535	6.2 (52)	2.5 (47)	12.0 (39)	700	19.3 (52)	15.7 (47)	1,095	6.6 (30)
Marathon C	677	8.9 (42)	4.9 (2)	2,868	9.3 (71)	1.5 (14)	13.4 (56)	1,304	14.8 (12)	14.1 (35)	2,202	7.2 (37)
Marinette	194	6.7 (15)	9.8 (38)	906	4.4 (15)	7.0 (72)	10.5 (23)	418	5.0 (1)	7.7 (3)	679	2.8 (5)
Marquette	65	* *	* *	255	3.9 (10)	2.4 (44)	14.1 (61)	107	17.8 (38)	18.7 (62)	171	9.4 (53)
Menominee	107	7.5 (25)	14.0 (50)	557	3.9 (10)	1.1 (4)	19.4 (70)	292	21.2 (61)	21.9 (66)	442	3.2 (7)
Milwaukee	8,477	10.9 (51)	5.5 (4)	37,675	6.0 (49)	2.2 (36)	11.8 (37)	17,917	16.2 (25)	13.8 (32)	27,997	14.1 (69)
Monroe	228	8.8 (40)	8.8 (32)	1,067	8.4 (70)	1.0 (3)	14.7 (64)	526	15.2 (16)	15.0 (44)	787	3.7 (10)
Oconto	131	9.2 (45)	6.9 (17)	623	5.3 (29)	2.1 (31)	12.8 (51)	270	15.6 (22)	17.4 (60)	469	5.5 (22)
Oneida	152	7.9 (31)	5.9 (9)	594	4.9 (23)	2.7 (49)	5.4 (2)	252	17.5 (33)	6.0 (1)	412	3.2 (7)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 5 / 29 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	1)		۸۳	nemia
		Low	High		Short Stature		Obese	C	≥ 2 Yrs Overweight an Obese	nd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Outagamie	668	9.3 (46)	5.1 (3)	2,532	5.1 (27)	5.5 (70)	9.6 (14)	1,150	16.3 (27)	12.5 (26)	1,613	8.2 (42)
Ozaukee	61	* *	* *	263	5.7 (38)	4.2 (64)	11.4 (32)	121	14.9 (14)	8.3 (4)	186	10.8 (61)
Pepin	29	* *	* *	124	2.4 (1)	4.8 (67)	15.3 (67)	58	* *	* *	86	* *
Pierce	133	8.3 (35)	12.8 (47)	681	6.5 (58)	2.1 (31)	12.6 (46)	331	14.8 (12)	14.2 (37)	520	8.5 (46)
Polk	195	4.6 (4)	7.2 (20)	889	2.5 (2)	2.9 (55)	8.4 (6)	433	13.4 (7)	10.9 (13)	669	8.5 (46)
Portage	278	6.8 (17)	7.6 (23)	1,200	5.8 (44)	3.0 (56)	9.8 (15)	518	13.9 (8)	11.6 (19)	880	5.0 (18)
Price	64	* *	* *	411	6.1 (50)	2.2 (36)	12.9 (52)	212	16.0 (23)	14.2 (37)	340	2.1 (2)
Racine Cou	1,240	9.6 (48)	5.8 (7)	5,099	5.8 (44)	4.2 (64)	9.9 (16)	2,303	13.9 (8)	11.4 (17)	3,748	9.3 (52)
Richland C	75	* *	* *	386	5.7 (38)	1.6 (18)	13.7 (59)	186	23.1 (66)	18.3 (61)	294	8.5 (46)
Rock	937	8.0 (32)	7.4 (22)	4,146	6.5 (58)	1.5 (14)	13.7 (59)	1,882	19.4 (54)	18.7 (62)	3,008	7.0 (35)
Rusk	87	* *	* *	398	5.5 (34)	3.8 (60)	10.6 (26)	191	22.5 (65)	15.2 (46)	300	1.7 (1)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 5 / 29 / 12

		(Comparis	on of G	rowth ar	nd Aneı	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		An	emia
		Low	High		Short Stature		Obese	C	≥ 2 Yrs Overweight an Obese	nd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Sauk	358	6.1 (10)	12.3 (44)	1,482	4.6 (18)	1.5 (14)	12.4 (43)	654	18.8 (47)	15.9 (52)	1,069	3.8 (11)
Sawyer	110	9.1 (44)	7.3 (21)	539	4.5 (17)	2.4 (44)	13.4 (56)	260	15.0 (15)	12.3 (23)	405	8.1 (40)
Shawano	195	6.2 (12)	9.2 (34)	914	4.3 (14)	1.4 (11)	10.5 (23)	489	18.4 (40)	11.0 (15)	717	8.9 (50)
Sheboygan	512	10.0 (50)	6.6 (15)	2,274	6.3 (53)	5.9 (71)	12.2 (42)	1,116	16.9 (31)	16.2 (54)	1,735	4.7 (15)
St. Croix	274	8.4 (37)	12.4 (46)	1,140	4.8 (22)	2.1 (31)	8.8 (11)	510	18.6 (42)	11.4 (17)	819	6.0 (25)
Taylor	91	* *	* *	433	5.5 (34)	1.8 (23)	10.2 (18)	197	19.8 (56)	15.7 (47)	327	5.8 (24)
Trempealea	165	8.5 (38)	6.1 (12)	719	3.6 (6)	2.2 (36)	12.7 (48)	337	16.0 (23)	15.7 (47)	514	9.1 (51)
Vernon	151	6.6 (14)	10.6 (41)	691	5.8 (44)	2.3 (41)	11.0 (28)	332	17.5 (33)	13.9 (33)	491	5.7 (23)
Vilas	110	4.5 (2)	15.5 (51)	562	3.7 (7)	1.8 (23)	20.5 (71)	279	21.5 (63)	21.1 (65)	413	2.7 (3)
Walworth	421	6.2 (12)	8.6 (29)	1,882	5.7 (38)	2.3 (41)	13.0 (53)	888	12.3 (5)	15.8 (50)	1,437	9.5 (54)
Washburn	96	* *	* *	426	13.1 (72)	1.2 (7)	21.4 (72)	206	25.7 (68)	34.0 (68)	307	3.9 (12)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 5 / 29 / 12

		(Comparis	on of Gr	owth ar	nd Ane	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4))		A	
		Low	High		Short Stature	Under weigh		0	≥ 2 Yrs verweight ar Obese	nd	Low	emia Hb/Hct 8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Washington	323	7.7 (27)	5.6 (6)	1,450	5.7 (38)	4.8 (67)	6.8 (3)	689	9.3 (2)	6.5 (2)	1,084	6.2 (26)
Waukesha	614	9.0 (43)	7.0 (18)	2,422	7.4 (69)	2.1 (31)	12.7 (48)	1,018	16.3 (27)	13.9 (33)	1,577	4.1 (13)
Waupaca	206	8.3 (35)	8.3 (28)	822	5.1 (27)	2.6 (48)	11.9 (38)	360	18.6 (42)	11.9 (21)	588	5.3 (20)
Waushara C	119	4.2 (1)	10.9 (42)	471	4.9 (23)	2.8 (53)	7.6 (4)	200	20.0 (59)	8.5 (6)	316	13.3 (66)
Winnebago	681	7.8 (29)	7.0 (18)	2,696	7.1 (64)	1.6 (18)	12.5 (44)	1,148	18.6 (42)	12.8 (28)	1,911	8.4 (45)
Wood	394	7.4 (23)	8.1 (25)	1,604	3.7 (7)	3.9 (61)	10.0 (17)	708	15.4 (19)	14.3 (39)	1,123	6.2 (26)
Unknown Counties	80	* *	* *	229	3.5 (4)	5.2 (69)	5.2 (1)	85	* *	* *	148	8.1 (40)
Wisconsin	29,162	8.8	7.2	126,329	5.9	2.4	11.8	58,885	16.6	14.0	92,741	9.5
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,93	9 16.1	14.4	5,391,027	14.6

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

			Breastfe (6	eeding 6)				Exclu	sive B	reastfeedi (7)	ng	≤2 Hou Viewing (8)	g/Day	Smoki House	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Brea A Le ; Moi	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ink)		(Rank)		(Rank)		(Rank)
Adams Cty	97	* *	46	* *	74	* *	31	*	*	46	* *	296	78.7 (61)	538	19.1 (72)
Ashland	112	76.8 (17)	66	* *	83	* *	43	*	*	66	* *	332	90.7 (8)	587	7.0 (51)
Barron	272	72.8 (26)	138	27.5 (15)	161	9.9 (33)	112	17.9	(21)	138	7.2 (24)	494	84.4 (44)	1,071	4.4 (20)
Bayfield C	67	* *	35	* *	46	* *	28	*	*	35	* *	202	91.1 (7)	355	5.6 (32)
Brown	1,576	72.6 (28)	670	24.3 (20)	1,033	12.5 (18)	482	19.9	(19)	665	8.0 (20)	3,445	78.5 (62)	6,834	6.6 (47)
Buffalo	66	* *	30	* *	36	* *	17	*	*	30	* *	150	94.0 (3)	286	5.9 (40)
Burnett	99	* *	58	* *	57	* *	44	*	*	58	* *	269	88.1 (25)	535	13.8 (69)
Calumet	155	71.6 (30)	66	* *	98	* *	53	*	*	65	* *	378	86.2 (31)	727	5.4 (29)
Chippewa	290	80.0 (9)	144	34.7 (4)	186	11.8 (20)	119	30.3	(5)	144	11.8 (11)	686	85.4 (36)	1,332	6.2 (43)
Clark	181	82.3 (5)	75	* *	106	16.0 (7)	60	*	*	75	* *	411	88.8 (17)	809	5.4 (29)
Columbia	192	77.6 (15)	89	* *	99	* *	80	*	*	89	* *	373	77.2 (64)	789	7.5 (55)
Crawford C	53	* *	23	* *	38	* *	25	*	*	23	* *	124	80.6 (56)	252	8.7 (63)
Dane	1,744	79.8 (11)	806	43.1 (1)	1,001	22.6 (2)	644	21.3	(16)	802	10.7 (13)	3,532	85.2 (40)	7.409	3.5 (11)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page:

Run Date:

5 / 29 / 12

			Breastfe (f	eeding 6)				Exclu	sive B	reastfeedi (7)	ng	≤2 Hou Viewin (8)		Smok Hous	
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Breas A Lea 3 Mor	stfed t ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra			(Rank)		(Rank)		(Rank)
Dodge	338	79.9 (10)	148	42.6 (2)	207	23.2 (1)	123	30.1	(6)	146	15.1 (4)	623	88.8 (17)	1,308	4.0 (16)
Door	135	68.9 (38)	55	* *	70	* *	53	*	*	55	* *	268	79.9 (57)	530	4.5 (22)
Douglas Ct	276	73.2 (24)	111	27.9 (14)	188	13.3 (15)	102	29.4	(7)	111	15.3 (3)	626	78.3 (63)	1,229	5.0 (25)
Dunn	225	75.6 (19)	75	* *	105	16.2 (6)	65	*	*	75	* *	392	89.0 (16)	853	1.9 (1)
Eau Claire	537	74.1 (22)	244	30.3 (12)	312	11.9 (19)	182	34.6	(2)	244	11.1 (12)	1,135	89.3 (12)	2,277	3.7 (12)
Florence	21	* *	6	* *	10	* *	4	*	*	6	* *	51	* *	99	* *
Fond du La	470	74.7 (20)	200	34.0 (5)	282	16.0 (7)	175	35.4	(1)	200	15.5 (2)	1,009	88.1 (25)	2,035	4.3 (17)
Forest	64	* *	32	* *	53	* *	25	*	*	32	* *	164	90.2 (10)	323	13.9 (70)
Grant Cty	246	68.3 (39)	99	* *	155	18.1 (3)	79	*	*	98	* *	492	88.2 (24)	1,031	7.0 (51)
Green Cty	151	78.8 (12)	68	* *	116	13.8 (14)	63	*	*	68	* *	308	89.3 (12)	662	6.0 (41)
Green Lake	96	* *	38	* *	55	* *	41	*	*	38	* *	142	85.9 (34)	349	6.9 (50)
Iowa Cty	81	* *	29	* *	43	* *	27	*	*	29	* *	168	86.3 (28)	345	5.8 (37)
Iron Cty	33	* *	13	* *	16	* *	10	*	*	13	* *	57	* *	115	4.3 (17)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

			Breastfe (f	eeding 6)				Exclu	ısive B	reastfeedi (7)	ing	≤2 Hou Viewin (i)		Smoki House	•
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Brea A Le Mo	% astfed ast ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)			ank)		(Rank)		(Rank)		(Rank)
Jackson	142	78.2 (13)	56	* *	90	* *	40	*	*	56	* *	321	86.3 (28)	630	6.8 (49)
Jefferson	373	75.9 (18)	164	31.1 (10)	234	14.5 (11)	137	22.6	(15)	164	8.5 (19)	876	88.6 (20)	1,705	5.7 (35)
Juneau	162	77.2 (16)	80	* *	96	* *	60	*	*	80	* *	425	77.2 (64)	795	15.5 (71)
Kenosha	1,001	63.3 (47)	406	24.6 (18)	693	10.2 (31)	303	21.1	(17)	400	9.0 (17)	2,133	82.0 (53)	4,361	5.7 (35)
Kewaunee	80	* *	36	* *	40	* *	25	*	*	36	* *	176	69.9 (68)	347	3.7 (12)
La Crosse	555	66.1 (43)	261	22.2 (22)	333	12.9 (17)	191	23.0	(13)	260	12.7 (7)	1,131	89.2 (14)	2,322	2.7 (6)
Lafayette	54	* *	23	* *	22	* *	16	*	*	23	* *	99	* *	210	2.4 (4)
Langlade C	103	66.0 (44)	45	* *	62	* *	25	*	*	45	* *	231	85.3 (38)	470	7.7 (58)
Lincoln Ct	82	* *	61	* *	55	* *	42	*	*	61	* *	212	82.1 (52)	444	6.5 (46)
Manitowoc	360	58.3 (50)	157	25.5 (16)	230	11.7 (22)	100	24.0	(11)	157	13.4 (5)	747	79.8 (58)	1,547	6.3 (45)
Marathon C	679	57.1 (51)	328	18.3 (27)	343	7.9 (35)	218	15.1	(23)	328	7.3 (23)	1,427	81.3 (54)	2,927	4.3 (17)
Marinette	195	65.1 (45)	95	* *	158	7.0 (36)	62	*	*	95	* *	462	85.3 (38)	923	7.9 (61)
Marguette	66	* *	26	* *	36	* *	26	*	*	26	* *	116	94.0 (3)	258	12.4 (68)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Run Date:

Page:

5 / 29 / 12

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	j, and	d Sm	oking iı	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeedir (7)	ng	<2 Hou Viewin (Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Numbei	Brea A Le Mo	ast 3 nths	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)			ank)		(Rank)		(Rank)		(Rank)
Menominee	107	72.0 (29)	53	* *	94	* *	42	*	*	53	* *	316	91.8 (6)	570	5.4 (29)
Milwaukee	8,485	66.2 (42)	3,692	21.6 (23)	5,519	11.5 (27)	2,676	13.7	(24)	3,692	5.9 (26)	19,430	79.6 (59)	38,137	7.8 (60)
Monroe	230	69.1 (36)	103	24.3 (20)	134	9.0 (34)	77	*	*	103	12.6 (8)	559	84.8 (43)	1,069	7.5 (55)
Oconto	131	59.5 (49)	75	* *	93	* *	55	*	*	75	* *	308	71.4 (67)	637	10.4 (67)
Oneida	152	69.1 (36)	55	* *	89	* *	48	*	*	55	* *	265	86.0 (33)	598	7.0 (51)
Outagamie	673	70.0 (33)	305	32.1 (8)	413	13.3 (15)	242	22.7	(14)	305	9.2 (15)	1,081	84.4 (44)	2,602	3.9 (15)
Ozaukee	60	* *	18	* *	31	* *	26	*	*	18	* *	130	86.2 (31)	266	2.6 (5)
Pepin	29	* *	3	* *	13	* *	3	*	*	3	* *	63	* *	124	3.2 (8)
Pierce	133	83.5 (2)	68	* *	101	10.9 (30)	49	*	*	68	* *	357	97.8 (1)	681	3.2 (8)
Polk	191	82.2 (6)	89	* *	120	11.7 (22)	73	*	*	88	* *	459	83.4 (48)	903	5.6 (32)
Portage	277	74.7 (20)	139	28.1 (13)	153	15.0 (9)	123	25.2	(9)	139	10.1 (14)	557	89.8 (11)	1,212	1.9 (1)
Price	64	* *	31	* *	54	* *	20	*	*	31	* *	235	88.5 (21)	419	5.3 (28)
Racine Cou	1,238	67.2 (41)	526	21.5 (24)	619	10.2 (31)	374	13.4	(25)	523	6.1 (25)	2,484	84.3 (46)	5,167	8.6 (62)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page:

Run Date:

(2)

5 / 29 / 12

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	j, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	•				Exclu	sive B	reastfeedii	ng	≤2 Hou Viewin		Smoki House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le (Mor	stfed tt ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
D: 11 10		* *		* *		* *		*	*		* *	200		004	
Richland C	75		38		54		35			38		202	92.1 (5)	394	5.8 (37)
Rock	943	62.9 (48)	439	18.5 (26)	638	11.8 (20)	287	12.9	(26)	438	4.8 (27)	2,015	79.3 (60)	4,176	5.1 (27)
Rusk	87	* *	32	* *	61	* *	30	*	*	32	* *	208	86.5 (27)	401	9.7 (65)
Sauk	361	82.5 (4)	170	32.9 (7)	195	16.4 (5)	158	31.6	(4)	170	12.4 (9)	703	86.3 (28)	1,502	6.7 (48)
Sawyer	110	70.0 (33)	53	* *	77	* *	37	*	*	53	* *	281	90.4 (9)	546	9.2 (64)
Shawano	195	69.7 (35)	77	* *	121	11.6 (25)	53	*	*	77	* *	525	88.4 (23)	929	7.6 (57)
Sheboygan	511	72.8 (26)	250	20.4 (25)	384	11.7 (22)	173	18.5	(20)	250	8.8 (18)	1,192	83.1 (50)	2,331	4.8 (23)
St. Croix	275	85.5 (1)	126	35.7 (3)	158	14.6 (10)	109	32.1	(3)	125	21.6 (1)	541	84.3 (46)	1,144	2.8 (7)
Taylor	91	* *	48	* *	67	* *	33	*	*	48	* *	208	81.3 (54)	440	7.7 (58)
Trempealea	164	80.5 (7)	69	* *	85	* *	60	*	*	69	* *	358	88.5 (21)	725	3.4 (10)
Vernon	151	80.1 (8)	58	* *	97	* *	51	*	*	58	* *	363	83.2 (49)	697	5.6 (32)
Vilas	109	71.6 (30)	53	* *	98	* *	40	*	*	53	* *	300	96.3 (2)	565	9.9 (66)
Walworth	425	83.3 (3)	216	33.8 (6)	261	14.2 (13)	193	25.9	(8)	216	7.4 (22)	969	88.8 (17)	1,911	5.0 (25)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	g, and	d Sm	oking i	n Housel	hold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeedii (7)	ng	≤2 Hou Viewin (Smokin Housel	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	Brea A Le Mo	% stfed tt ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Washburn	96	* *	41	* *	49	* *	39	*	*	41	* *	225	72.9 (66)	431	1.9 (1)
Washington	322	78.0 (14)	154	30.5 (11)	194	14.4 (12)	141	23.4	(12)	154	12.3 (10)	744	89.1 (15)	1,462	4.8 (23)
Waukesha	624	73.9 (23)	302	32.1 (8)	304	17.1 (4)	235	17.4	(22)	302	7.9 (21)	1,106	85.6 (35)	2,449	5.8 (37)
Waupaca	207	64.7 (46)	81	* *	121	11.6 (25)	72	*	*	81	* *	392	84.9 (42)	838	6.2 (43)
Waushara C	123	68.3 (39)	51	* *	74	* *	39	*	*	51	* *	216	85.2 (40)	476	7.1 (54)
Winnebago	682	73.2 (24)	317	24.6 (18)	376	11.4 (28)	248	20.2	(18)	317	9.1 (16)	1,243	83.1 (50)	2,730	3.7 (12)
Wood	394	70.8 (32)	166	24.7 (17)	223	11.2 (29)	140	25.0	(10)	166	13.3 (6)	766	85.4 (36)	1,619	6.1 (42)
Unknown Counties	81	* *	25	* *	31	* *	22	*	*	25	* *	92	* *	227	4.4 (20)
Wisconsin	29,225	70.6	13,025	26.4	18,123	13.0	9,935	20	7	12,999	9.0	63,376	83.0	127,997	6.3
Nation (Prior Year)	1,689,6	15 63.2	908,604	25.1	1,069,9	42 16.9	363,03	9 10	7	466,279	6.1	1,200,700	79.2	4,203,554	9.4

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 23 Run Date: 5 / 29 / 12

		(Comparis	on of G	rowth ar	nd Ane	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		۸۵	emia
		Low	High		Short Stature	Under- weight		C	≥ 2 Yrs Overweight an Obese	ıd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Adams Cty	321	7.2 (23)	10.9 (62)	1,709	7.0 (68)	1.5 (8)	12.8 (48)	865	18.7 (55)	13.3 (32)	1,349	6.0 (26)
Ashland	363	6.6 (10)	9.1 (46)	1,884	5.6 (31)	2.8 (50)	11.9 (38)	998	14.9 (12)	12.5 (20)	1,516	7.1 (32)
Barron	806	6.6 (10)	9.6 (50)	3,337	4.6 (16)	2.4 (35)	11.2 (29)	1,453	17.8 (48)	14.2 (44)	2,402	7.7 (37)
Bayfield C	217	5.5 (2)	14.3 (67)	1,068	3.5 (3)	3.3 (62)	13.6 (61)	538	18.4 (53)	17.5 (65)	839	9.2 (50)
Brown	4,734	7.4 (33)	7.8 (26)	20,269	6.0 (45)	2.3 (33)	14.7 (67)	9,652	17.7 (47)	18.2 (68)	15,436	6.5 (28)
Buffalo	186	6.5 (8)	7.5 (23)	870	4.0 (10)	2.4 (35)	9.1 (6)	423	17.5 (45)	11.8 (15)	647	7.4 (35)
Burnett	337	6.5 (8)	10.1 (56)	1,668	4.6 (16)	1.7 (17)	12.1 (41)	841	17.0 (36)	14.1 (43)	1,299	4.7 (15)
Calumet	452	7.1 (20)	6.9 (15)	2,086	6.8 (66)	2.4 (35)	10.0 (14)	990	17.4 (42)	12.0 (16)	1,593	5.6 (22)
Chippewa	913	7.3 (30)	6.7 (11)	4,083	6.2 (53)	1.9 (24)	10.9 (24)	1,952	16.3 (24)	11.1 (9)	3,090	10.9 (62)
Clark	517	7.4 (33)	9.5 (48)	2,411	5.5 (29)	1.7 (17)	10.6 (20)	1,146	15.2 (16)	13.2 (30)	1,781	12.2 (69)
Columbia	576	7.1 (20)	9.5 (48)	2,489	6.2 (53)	2.2 (31)	9.5 (11)	1,116	16.5 (26)	12.5 (20)	1,805	7.8 (39)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 24 Run Date: 5 / 29 / 12

		ı	Comparis	on of G	rowth ar	nd Aneı	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight (3,4	4)			
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight ar Obese	nd	Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Crawford C	190	8.4 (57)	12.1 (66)	891	6.8 (66)	2.4 (35)	9.7 (13)	407	17.4 (42)	11.5 (12)	667	10.5 (58)
Dane	5,353	7.7 (41)	9.0 (44)	22,563	5.6 (31)	1.7 (17)	11.6 (34)	10,160	15.9 (20)	13.0 (27)	16,442	10.5 (58)
Dodge	980	7.2 (23)	8.0 (27)	4,033	5.9 (37)	3.5 (65)	10.3 (17)	1,834	10.4 (2)	9.2 (5)	2,962	5.2 (18)
Door	367	7.9 (44)	8.4 (34)	1,546	3.6 (7)	2.7 (47)	9.2 (8)	708	17.1 (39)	13.4 (34)	1,120	4.2 (10)
Douglas Ct	828	7.4 (33)	8.3 (32)	3,746	5.1 (23)	1.5 (8)	12.7 (46)	1,703	20.1 (64)	15.9 (55)	2,592	15.6 (72)
Dunn	638	6.7 (12)	9.9 (53)	2,644	6.3 (56)	2.7 (47)	10.7 (21)	1,217	16.7 (32)	11.7 (13)	1,915	3.1 (4)
Eau Claire	1,619	7.0 (18)	8.9 (43)	7,060	6.7 (64)	2.2 (31)	11.7 (35)	3,248	17.1 (39)	13.4 (34)	5,198	12.3 (70)
Florence	72	* *	* *	316	6.0 (45)	3.2 (61)	11.4 (32)	147	14.3 (7)	13.6 (36)	220	5.9 (23)
Fond du La	1,413	9.8 (68)	7.1 (16)	6,104	6.1 (48)	3.0 (57)	8.7 (3)	2,873	12.8 (3)	9.6 (6)	4,616	6.5 (28)
Forest	214	9.3 (64)	9.8 (52)	986	3.5 (3)	3.7 (66)	15.0 (69)	496	15.1 (13)	17.3 (63)	717	11.2 (65)
Grant Cty	736	8.0 (46)	8.3 (32)	3,353	5.8 (36)	2.7 (47)	10.7 (21)	1,531	16.7 (32)	11.2 (10)	2,535	5.4 (20)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 25 Run Date: 5 / 29 / 12

		(Comparis	on of G	rowth ar	nd Ane	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		۸۳	nemia
		Low	High		Short Stature		Obese	C	≥ 2 Yrs Overweight an Obese	nd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Green Cty	462	7.6 (38)	6.1 (5)	1,956	7.0 (68)	1.5 (8)	14.5 (64)	877	19.6 (60)	16.6 (57)	1,366	9.9 (53)
Green Lake	252	7.5 (37)	7.1 (16)	963	4.5 (14)	3.0 (57)	10.3 (17)	384	15.6 (18)	11.7 (13)	668	7.5 (36)
Iowa Cty	251	8.0 (46)	7.2 (18)	1,055	6.4 (59)	1.3 (5)	14.1 (62)	464	20.0 (62)	18.3 (69)	764	8.8 (49)
Iron Cty	78	* *	* *	310	6.1 (48)	3.9 (69)	11.0 (26)	138	26.1 (72)	13.0 (27)	226	8.0 (40)
Jackson	421	5.5 (2)	11.6 (64)	1,985	5.9 (37)	1.4 (7)	12.8 (48)	981	20.7 (65)	15.4 (52)	1,428	10.3 (57)
Jefferson	1,196	6.7 (12)	9.3 (47)	5,285	4.5 (14)	2.5 (40)	10.7 (21)	2,435	18.0 (50)	14.8 (47)	3,938	4.9 (17)
Juneau	486	8.2 (53)	10.1 (56)	2,336	5.9 (37)	1.6 (16)	13.5 (59)	1,148	18.5 (54)	14.4 (45)	1,795	5.9 (23)
Kenosha	3,214	8.2 (53)	6.8 (13)	13,090	7.5 (71)	1.7 (17)	12.6 (45)	5,727	16.7 (32)	13.9 (40)	9,366	10.5 (58)
Kewaunee	232	7.8 (43)	7.3 (20)	1,039	4.9 (19)	1.1 (2)	14.6 (66)	492	21.3 (67)	16.3 (56)	789	11.3 (66)
La Crosse	1,730	7.2 (23)	8.6 (37)	7,066	6.6 (61)	3.8 (68)	11.2 (29)	3,260	17.8 (48)	12.9 (26)	5,260	8.2 (44)
Lafayette	137	8.0 (46)	8.8 (41)	665	6.3 (56)	0.8 (1)	13.5 (59)	320	21.6 (68)	18.1 (67)	504	8.1 (41)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 26 Run Date: 5 / 29 / 12

			Comparis	on of G	owth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		۸۰	nemia
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight ar Obese	nd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Langlade C	313	7.7 (41)	6.1 (5)	1,425	5.1 (23)	1.5 (8)	10.9 (24)	663	14.2 (6)	14.6 (46)	1,124	12.6 (71)
Lincoln Ct	323	8.0 (46)	8.4 (34)	1,363	6.1 (48)	1.2 (4)	14.7 (67)	592	19.9 (61)	15.7 (54)	1,040	11.4 (67)
Manitowoc	1,069	7.4 (33)	8.1 (29)	4,867	5.6 (31)	2.5 (40)	13.1 (53)	2,275	18.1 (52)	17.6 (66)	3,579	6.6 (31)
Marathon C	2,065	7.1 (20)	5.3 (2)	8,604	9.0 (72)	1.5 (8)	13.3 (58)	3,924	16.1 (21)	13.2 (30)	6,566	8.7 (47)
Marinette	626	8.3 (55)	8.8 (41)	2,966	4.3 (12)	7.5 (73)	8.8 (4)	1,455	7.4 (1)	5.6 (1)	2,254	3.0 (3)
Marquette	188	5.9 (6)	4.3 (1)	761	3.7 (9)	2.0 (26)	16.3 (70)	321	17.4 (42)	16.8 (60)	520	7.1 (32)
Menominee	330	5.8 (5)	14.5 (68)	1,660	3.5 (3)	1.1 (2)	19.6 (72)	852	23.7 (71)	20.4 (70)	1,305	3.1 (4)
Milwaukee	27,015	10.6 (69)	5.7 (3)	115,924	6.1 (48)	2.5 (40)	12.0 (40)	53,887	16.6 (29)	14.0 (42)	85,835	15.8 (73)
Monroe	719	7.2 (23)	8.6 (37)	3,279	7.2 (70)	1.3 (5)	14.5 (64)	1,512	16.1 (21)	15.6 (53)	2,407	4.4 (12)
Oconto	466	6.9 (15)	8.6 (37)	1,971	4.2 (11)	1.5 (8)	13.2 (56)	851	17.3 (41)	17.3 (63)	1,433	6.2 (27)
Oneida	454	9.3 (64)	7.7 (24)	1,785	5.9 (37)	3.0 (57)	6.7 (2)	738	14.5 (9)	8.8 (4)	1,243	2.6 (1)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 27 Run Date: 5 / 29 / 12

		(Comparis	on of G	rowth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		۸۰	emia
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight an Obese	nd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Outagamie	2,030	8.5 (58)	6.1 (5)	7,783	4.6 (16)	5.1 (70)	10.0 (14)	3,536	17.5 (45)	12.7 (23)	5,130	7.1 (32)
Ozaukee	305	3.9 (1)	10.8 (60)	1,289	6.6 (61)	2.8 (50)	10.2 (16)	567	13.6 (5)	7.6 (2)	948	10.0 (55)
Pepin	96	* *	* *	424	3.1 (1)	3.3 (62)	13.0 (51)	185	15.1 (13)	15.1 (51)	299	9.4 (51)
Pierce	451	8.0 (46)	10.2 (58)	2,126	6.1 (48)	1.9 (24)	12.4 (44)	1,023	15.8 (19)	13.3 (32)	1,619	11.4 (67)
Polk	656	7.2 (23)	9.9 (53)	2,938	3.4 (2)	2.8 (50)	8.8 (4)	1,387	14.3 (7)	10.5 (8)	2,217	8.2 (44)
Portage	914	8.1 (52)	7.7 (24)	3,654	5.9 (37)	2.6 (45)	9.2 (8)	1,545	14.6 (10)	10.0 (7)	2,641	3.8 (9)
Price	236	7.2 (23)	7.2 (18)	1,358	4.9 (19)	2.4 (35)	11.9 (38)	687	16.6 (29)	13.0 (27)	1,096	2.6 (1)
Racine Cou	3,882	9.1 (61)	5.8 (4)	15,895	6.2 (53)	2.9 (54)	11.4 (32)	7,047	15.1 (13)	12.4 (18)	11,832	9.9 (53)
Richland C	260	6.9 (15)	15.4 (69)	1,230	6.5 (60)	1.5 (8)	13.1 (53)	565	22.1 (69)	16.6 (57)	924	10.9 (62)
Rock	3,025	9.1 (61)	6.8 (13)	12,603	6.0 (45)	1.7 (17)	13.1 (53)	5,603	18.9 (56)	16.7 (59)	9,061	7.7 (37)
Rusk	268	9.3 (64)	11.6 (64)	1,209	5.3 (28)	3.7 (66)	11.7 (35)	561	22.5 (70)	15.0 (50)	901	4.7 (15)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 28 Run Date: 5 / 29 / 12

			Comparis	on of G	rowth ar	nd Ane	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)			nemia
		Low	High		Short Stature	Under- weight		C	≥ 2 Yrs Overweight an Obese	ıd	Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Sauk	1,097	5.7 (4)	10.8 (60)	4,421	5.1 (23)	1.5 (8)	13.2 (56)	1,903	19.0 (57)	16.8 (60)	3,199	3.5 (8)
Sawyer	372	7.3 (30)	9.7 (51)	1,787	3.6 (7)	2.5 (40)	13.0 (51)	856	16.6 (29)	13.6 (36)	1,360	8.5 (46)
Shawano	594	8.9 (60)	6.1 (5)	2,849	5.5 (29)	1.8 (22)	12.2 (42)	1,505	16.5 (26)	12.6 (22)	2,249	8.1 (41)
Sheboygan	1,665	8.3 (55)	8.1 (29)	7,175	6.3 (56)	5.5 (72)	11.7 (35)	3,478	17.0 (36)	14.8 (47)	5,442	4.3 (11)
St. Croix	823	6.8 (14)	10.2 (58)	3,552	5.2 (26)	2.0 (26)	9.5 (11)	1,623	18.0 (50)	12.4 (18)	2,584	5.9 (23)
Taylor	314	8.0 (46)	8.0 (27)	1,351	5.0 (21)	2.9 (54)	9.3 (10)	615	19.3 (59)	13.7 (38)	1,011	3.4 (7)
Trempealea	515	7.6 (38)	6.6 (10)	2,202	4.4 (13)	2.0 (26)	14.2 (63)	977	16.4 (25)	17.2 (62)	1,555	10.9 (62)
Vernon	458	7.0 (18)	8.5 (36)	2,192	5.9 (37)	2.0 (26)	11.2 (29)	1,033	17.0 (36)	13.9 (40)	1,592	5.3 (19)
Vilas	364	6.0 (7)	11.3 (63)	1,759	5.2 (26)	2.5 (40)	20.0 (73)	883	19.0 (57)	22.7 (71)	1,244	3.2 (6)
Walworth	1,374	7.2 (23)	7.4 (22)	6,206	5.9 (37)	2.0 (26)	12.7 (46)	2,893	14.7 (11)	14.9 (49)	4,709	10.2 (56)
Washburn	278	7.9 (44)	9.0 (44)	1,290	9.7 (73)	2.9 (54)	17.1 (71)	618	21.0 (66)	23.6 (72)	954	4.5 (13)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 29 Run Date: 5 / 29 / 12

			Comparis	on of G	rowth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4)			
		Low	High		Short Stature	Under- weight		C	≥ 2 Yrs overweight ar Obese	nd	Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% t Obese (Rank)	Number	% (Rank)
Washington	1,083	7.6 (38)	6.3 (9)	4,644	5.9 (37)	3.1 (60)	9.1 (6)	2,123	13.2 (4)	8.6 (3)	3,445	8.7 (47)
Waukesha	1,908	9.6 (67)	7.3 (20)	7,371	6.6 (61)	2.3 (33)	12.9 (50)	3,034	16.2 (23)	13.8 (39)	4,825	5.5 (21)
Waupaca	668	8.8 (59)	8.2 (31)	2,585	5.6 (31)	2.8 (50)	11.1 (27)	1,069	16.5 (26)	11.2 (10)	1,840	4.5 (13)
Waushara C	361	6.9 (15)	10.0 (55)	1,444	5.7 (35)	2.6 (45)	11.1 (27)	625	20.0 (62)	12.3 (17)	1,009	10.8 (61)
Winnebago	2,147	9.1 (61)	6.7 (11)	8,346	6.7 (64)	1.8 (22)	12.3 (43)	3,499	16.8 (35)	12.8 (25)	5,887	9.4 (51)
Wood	1,145	7.3 (30)	8.7 (40)	4,685	5.0 (21)	3.3 (62)	10.4 (19)	2,021	15.4 (17)	12.7 (23)	3,322	6.5 (28)
Unknown Counties	80	* *	* *	229	3.5 (3)	5.2 (71)	5.2 (1)	85	* *	* *	148	8.1 (41)
Wisconsin	91,228	8.6	7.3	390,068	6.0	2.5	12.0	179,140	16.7	13.9	287,194	10.2

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	•				Exclu	sive B	reastfeedi (7)	ing	≤2 Hou Viewin		Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le (Moi	t ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra			(Rank)		(Rank)		(Rank)
Adams Cty	343	69.7 (49)	276	17.8 (62)	306	9.8 (54)	250	16.4	(39)	275	6.9 (54)	940	77.6 (68)	877	20.6 (73)
Ashland	377	70.8 (42)	296	32.4 (9)	319	22.3 (3)	282	30.5	(3)	294	19.7 (1)	1,088	89.4 (12)	980	7.3 (43)
Barron	888	71.8 (35)	594	23.1 (33)	583	9.1 (60)	594	17.7	(31)	588	5.4 (62)	1,566	84.3 (42)	1,923	5.5 (20)
Bayfield C	230	72.2 (32)	173	34.1 (5)	183	22.4 (2)	164	31.7	(2)	171	19.3 (2)	593	89.2 (13)	562	5.2 (18)
Brown	5,188	70.5 (45)	3,436	21.5 (45)	3,665	10.9 (50)	3,304	13.8	(58)	3,369	7.4 (45)	10,333	79.1 (65)	11,447	7.8 (48)
Buffalo	203	77.8 (14)	129	17.8 (62)	145	9.0 (61)	126	20.6	(23)	126	12.7 (11)	443	92.3 (4)	489	7.6 (46)
Burnett	361	68.1 (53)	279	20.4 (49)	273	6.6 (66)	260	21.2	(22)	277	7.2 (50)	784	92.1 (6)	897	10.5 (65)
Calumet	513	72.5 (31)	353	28.6 (15)	374	13.9 (15)	342	22.8	(15)	346	11.8 (14)	1,086	81.6 (60)	1,189	6.4 (33)
Chippewa	977	74.8 (27)	680	22.1 (38)	730	9.3 (57)	635	21.6	(21)	658	9.3 (32)	2,099	85.5 (37)	2,253	6.1 (29)
Clark	560	79.3 (11)	381	29.1 (13)	393	13.0 (25)	366	17.5	(33)	376	9.8 (26)	1,252	87.9 (21)	1,305	6.1 (29)
Columbia	638	76.2 (19)	437	21.1 (47)	407	12.8 (27)	412	14.8	(50)	427	7.3 (48)	1,175	81.8 (57)	1,439	7.3 (43)
Crawford C	209	70.3 (48)	143	22.4 (37)	148	8.8 (62)	139	15.1	(46)	143	4.9 (66)	437	83.5 (49)	502	5.6 (21)
Dane	5,872	80.1 (7)	3,967	37.3 (1)	3,904	22.6 (1)	3,878	17.2	(36)	3,901	9.5 (29)	10,886	84.1 (44)	12,862	4.2 (8)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

		Comp	arison	of Breas	stfeedi	ng, TV V	ewing	, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	•				Exclu	ısive B	reastfeedii	ng	≤2 Hou Viewin		Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Moi	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)			ank)		(Rank)		(Rank)		(Rank)
Dodge	1,046	80.6 (5)	705	33.3 (7)	714	18.5 (6)	707	25.9	(8)	697	13.5 (10)	1,971	90.8 (8)	2,312	5.1 (16)
Door	399	71.2 (41)	265	27.5 (17)	276	12.7 (28)	260	26.5	(7)	264	6.8 (57)	765	81.8 (57)	860	4.4 (9)
Douglas Ct	918	72.7 (30)	640	21.6 (43)	692	11.4 (40)	651	20.1	(24)	639	11.6 (16)	1,854	81.0 (61)	2,110	6.8 (39)
Dunn	683	69.3 (51)	431	21.6 (43)	425	13.4 (20)	428	17.5	(33)	430	9.1 (33)	1,296	87.3 (29)	1,545	3.9 (5)
Eau Claire	1,714	73.8 (28)	1,210	23.1 (33)	1,243	11.3 (41)	1,144	19.8	(25)	1,198	7.8 (44)	3,499	88.4 (17)	3,884	4.8 (11)
Florence	80	* *	52	* *	52	* *	50	*	*	52	* *	156	92.3 (4)	182	12.6 (69)
Fond du La	1,550	71.4 (37)	1,097	25.4 (26)	1,105	12.9 (26)	1,057	22.2	(18)	1,084	8.7 (37)	3,095	88.1 (20)	3,403	6.0 (27)
Forest	233	64.4 (62)	163	13.5 (68)	172	4.7 (68)	161	8.7	(69)	163	6.7 (58)	549	87.6 (26)	558	14.9 (70)
Grant Cty	799	68.7 (52)	552	24.6 (27)	556	13.5 (18)	515	22.5	(16)	532	13.7 (9)	1,667	83.2 (51)	1,921	7.8 (48)
Green Cty	514	75.3 (23)	347	23.6 (29)	352	13.6 (17)	352	14.5	(54)	345	3.8 (68)	937	90.6 (9)	1,125	9.6 (63)
Green Lake	290	64.5 (61)	179	20.1 (51)	170	8.8 (62)	189	12.2	(61)	175	7.4 (45)	423	83.5 (49)	584	9.6 (63)
Iowa Cty	277	73.6 (29)	182	25.8 (24)	179	14.0 (13)	173	13.3	(59)	176	5.7 (60)	508	86.8 (32)	632	5.7 (22)
Iron Cty	83	* *	56	* *	62	* *	59	*	*	55	* *	151	92.1 (6)	175	5.1 (16)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

		Comp	ai 15011	UI DIEAS	Succui	ily, i v Vi	- wing	, aii	J 3111	okilig i	n Housel	(4,0	-	1 .	
			Breastfe (6	eeding 6)				Exclu	ısive B	reastfeedi (7)	ing	≤2 Hou Viewing (8)		Smoki Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	% astfed at ast ast	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Jackson	447	79.6 (10)	336	21.7 (41)	326	11.7 (37)	308	17.9	(30)	328	10.4 (23)	1,063	87.1 (30)	1,080	7.4 (45)
Jefferson	1,298	76.0 (20)	914	25.8 (24)	920	13.5 (18)	855	16.4	(39)	896	7.1 (51)	2,656	88.4 (17)	2,946	6.3 (32)
Juneau	521	75.2 (25)	392	21.7 (41)	378	10.1 (53)	384	18.0	(28)	386	8.8 (35)	1,236	77.3 (69)	1,212	15.2 (71)
Kenosha	3,418	61.1 (69)	2,218	19.1 (57)	2,423	10.4 (52)	2,115	11.0	(64)	2,143	5.1 (65)	6,130	81.9 (56)	7,411	6.8 (39)
Kewaunee	255	69.4 (50)	176	23.3 (31)	169	11.2 (43)	166	17.5	(33)	175	8.0 (43)	542	68.3 (72)	580	4.8 (11)
La Crosse	1,854	68.1 (53)	1,270	23.2 (32)	1,219	12.6 (31)	1,197	18.6	(27)	1,217	12.1 (13)	3,507	88.4 (17)	4,060	3.5 (3)
Lafayette	160	71.3 (38)	112	18.8 (58)	99	* *	110	9.1	(67)	110	1.8 (69)	337	84.6 (40)	389	6.2 (31)
Langlade C	341	67.7 (55)	259	17.8 (62)	246	9.8 (54)	238	12.2	(61)	248	6.9 (54)	727	85.8 (35)	819	10.6 (67)
Lincoln Ct	345	66.4 (57)	261	18.0 (61)	225	10.7 (51)	247	15.4	(42)	255	8.6 (39)	645	84.7 (39)	762	9.4 (60)
Manitowoc	1,147	63.5 (65)	783	23.4 (30)	879	12.7 (28)	750	17.7	(31)	775	11.5 (17)	2,437	78.4 (67)	2,690	7.1 (42)
Marathon C	2,224	59.4 (71)	1,545	18.4 (59)	1,392	9.2 (59)	1,476	14.0	(55)	1,517	8.2 (41)	4,250	82.3 (55)	4,819	5.0 (15)
Marinette	669	63.2 (67)	482	13.3 (69)	509	5.5 (67)	444	14.0	(55)	468	6.2 (59)	1,572	87.5 (27)	1,656	8.8 (57)
Marquette	214	72.0 (34)	143	25.9 (22)	135	13.3 (21)	143	14.7	(51)	143	9.8 (26)	345	81.7 (59)	456	16.2 (72)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 29 / 12

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedir	ng	≤2 Hou Viewin		Smok Hous	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	% astfed at ast ast anths	Number	% Breastfed At Least 6 Months	Number	% (Dards)	Number	% (Parth)
		(Rank)		(Rank)		(Rank)			ank)		(Rank)		(Rank)		(Rank)
Menominee	342	74.9 (26)	275	21.1 (47)	315	11.1 (46)	258	14.7	(51)	268	8.2 (41)	919	92.8 (3)	858	8.5 (53)
Milwaukee	28,551	64.4 (62)	19,799	19.6 (54)	20,799	11.0 (49)	18,614	8.9	(68)	19,545	4.6 (67)	58,321	79.0 (66)	62,802	9.0 (58)
Monroe	784	70.7 (43)	533	20.1 (51)	539	12.4 (32)	510	13.3	(59)	527	9.5 (29)	1,628	84.3 (42)	1,842	8.0 (50)
Oconto	500	60.0 (70)	369	15.4 (67)	345	7.8 (65)	354	14.7	(51)	368	5.4 (62)	949	73.6 (70)	1,088	10.5 (65)
Oneida	492	70.5 (45)	334	20.4 (49)	322	11.2 (43)	312	16.7	(38)	329	9.1 (33)	780	89.2 (13)	1,026	8.1 (52)
Outagamie	2,195	70.4 (47)	1,377	24.3 (28)	1,421	12.2 (34)	1,376	16.9	(37)	1,367	7.4 (45)	3,516	85.1 (38)	4,627	4.0 (6)
Ozaukee	303	78.9 (12)	226	34.1 (5)	233	19.7 (4)	223	25.1	(12)	224	10.3 (24)	601	87.9 (21)	751	4.8 (11)
Pepin	102	70.6 (44)	67	* *	68	* *	64	*	*	65	* *	199	96.5 (1)	240	5.4 (19)
Pierce	492	75.4 (22)	348	25.9 (22)	356	14.0 (13)	338	25.7	(9)	346	16.5 (4)	1,109	94.8 (2)	1,193	6.0 (27)
Polk	706	80.2 (6)	504	29.0 (14)	515	11.3 (41)	491	27.5	(5)	499	11.0 (20)	1,473	82.6 (53)	1,667	6.8 (39)
Portage	955	76.0 (20)	651	26.7 (21)	581	13.9 (15)	644	18.0	(28)	641	8.7 (37)	1,675	90.3 (10)	2,027	3.1 (2)
Price	269	81.0 (4)	213	28.2 (16)	219	13.2 (22)	191	24.6	(13)	201	16.4 (5)	758	83.6 (47)	721	6.4 (33)
Racine Cou	4,077	63.3 (66)	2,764	19.5 (55)	2,608	11.2 (43)	2,608	9.2	(66)	2,733	5.5 (61)	7,659	85.6 (36)	8,922	9.5 (61)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

5 / 29 / 12

Page:

Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedi	ing	≤2 Hou Viewin	g/Day	Smok Hous	ing in ehold
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea Le Mo	% ustfed at ast 3 nths	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Richland C	281	80.1 (7)	218	36.2 (2)	219	13.2 (22)	204	27.5	(5)	211	11.8 (14)	618	87.7 (25)	664	6.5 (35)
Rock	3,247	62.4 (68)	2,145	19.4 (56)	2,211	12.3 (33)	2,064	9.9	(65)	2,122	5.2 (64)	6,011	80.5 (63)	7,047	6.7 (37)
Rusk	288	75.3 (23)	210	17.1 (65)	217	8.3 (64)	201	14.9	(49)	189	9.5 (29)	604	86.6 (33)	659	10.6 (67)
Sauk	1,208	82.4 (1)	823	30.6 (11)	756	17.2 (7)	824	25.6	(10)	812	10.7 (21)	2,067	84.5 (41)	2,509	8.5 (53)
Sawyer	399	72.2 (32)	292	22.6 (36)	302	9.3 (57)	287	18.8	(26)	285	10.2 (25)	854	89.8 (11)	981	7.7 (47)
Shawano	629	64.4 (62)	444	18.2 (60)	461	11.1 (46)	425	15.1	(46)	437	8.5 (40)	1,626	87.8 (24)	1,566	8.6 (56)
Sheboygan	1,818	71.3 (38)	1,230	22.1 (38)	1,316	12.0 (36)	1,205	13.9	(57)	1,219	7.3 (48)	3,721	83.6 (47)	4,115	5.7 (22)
St. Croix	925	80.1 (7)	613	27.1 (20)	584	14.6 (11)	617	27.9	(4)	609	15.3 (6)	1,729	83.7 (45)	2,104	4.0 (6)
Taylor	341	78.3 (13)	256	35.9 (3)	236	12.7 (28)	244	25.4	(11)	251	14.7 (8)	649	80.4 (64)	767	9.5 (61)
Trempealea	541	76.7 (16)	374	33.2 (8)	361	16.1 (8)	363	16.3	(41)	368	11.1 (19)	1,065	87.9 (21)	1,253	2.7 (1)
Vernon	483	77.2 (15)	370	29.5 (12)	383	19.6 (5)	350	24.6	(13)	361	15.2 (7)	1,130	83.1 (52)	1,196	5.9 (24)
Vilas	400	65.8 (58)	288	16.3 (66)	307	11.1 (46)	280	15.4	(42)	277	10.5 (22)	951	89.0 (15)	936	8.0 (50)
Walworth	1,463	81.1 (3)	1,061	31.2 (10)	1,009	15.8 (9)	1,025	22.5	(16)	1,046	9.6 (28)	3,134	86.9 (31)	3,518	5.9 (24)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

5 / 29 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4.5)<2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (7) (6) (8) % % % % Number % % % County Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) Washburn 305 76.4 (17) 201 34.3 (4) 198 13.1 (24) 196 34.2 (1) 188 17.6 (3) 670 68.7 (71) 730 3.7 (4) 1,173 803 796 792 2,292 2,688 Washington 76.4 (17) 27.5 (17) 804 14.6 (11) 22.0 (19) 11.2 (18) 88.8 (16) 5.9 (24) 2,154 1,372 3,271 4,408 Waukesha 71.7 (36) 1,399 27.5 (17) 1,210 15.1 (10) 15.1 (46) 1,385 6.9(54)83.7 (45) 6.7 (37) 716 11.6 (38) 447 Waupaca 65.4 (60) 459 19.8 (53) 467 15.4 (42) 453 8.8 (35) 1,173 87.5 (27) 1,520 8.5 (53) 410 Waushara C 67.3 (56) 262 22.1 (38) 265 12.1 (35) 267 12.0 (63) 257 7.0 (53) 671 80.8 (62) 855 9.1 (59) Winnebago 2,339 71.3 (38) 1,503 21.2 (46) 1,433 9.6 (56) 1,510 15.4 (42) 1,491 7.1 (51) 3,741 82.4 (54) 4,871 4.9 (14) Wood 1,271 833 843 2,185 2,698 65.5 (59) 855 22.9 (35) 862 11.6 (38) 21.8 (20) 12.3 (12) 86.1 (34) 6.6 (36) 47 92 156 **Unknown Counties** 113 81.4 (2) 38 36 38 4.5 (10) Wisconsin 98.110 64.471 66.169 7.5 192.841 217.901 69.1 67.218 23.0 68.306 12.4 14.7 82.8 7.3



⁽¹⁾ Reporting period is January 1 through December 31.

TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.